



CATALOGUE September 2019

PROFESSIONAL - WINTER - MAINTENANCE



0118 986 9253 - www.kerstenuk.com



Meyer **Spreaders**

About Meyer - The inventors of the snow plough.....	3
Hotshot pedestrian spreaders	4
BL small and medium tailgate spreaders	6
Blaster professional tailgate spreaders	8
CrossFire in-body and trailed spreaders	10
PolyHawk in-body and trailed spreaders	12

Meyer **Snow Ploughs**

PathPro snow plough for ATV/Quad	14
PathPro UTV for heavy duty UTVs and light compact tractors.....	15
PathPro2 snow plough for light 4x4s	16
DrivePro snow plough for 4x4s	18
QuickAttach50 mounting system - 2” receiver hitch.....	20
Winches for vehicles up to 3500kg - 2” receiver hitch	23

Important Notice.


The graphics alongside the descriptions in this price list are an approximate representation of the product and not the product itself. Error and Omissions Excepted.

All prices are subject to VAT.

Kersten (UK) Ltd reserve the right to change prices and specification at any time.

In 1926 Meyer Products began building snowploughs on a farm in Newburgh, New York, USA. It was then and there Meyer became the innovator, pioneer and leader in manufacturing highly reliable snow and ice control equipment. Throughout our 88 years in business Meyer has been fully committed to fulfilling our customer's needs and expectations.

In 2010 Kersten UK began importing and fitting our range of snow ploughs and spreaders suitable for the European market.



Pedestrian broadcast spreaders

Hotshot 70HD and 100HD



A Broadcast Spreader For All Seasons

For a heavy-duty broadcast spreader built for all-season use, look to the Meyer Hotshot. Meyer Hotshots are compact, easy to manoeuvre and built to handle the extreme conditions of year-round use.

Hotshots are designed to apply a variety of materials including top-dress sand, rock salt and ice melt on snow and ice, as well as limestone and fertilizer. Maximum spread range is from 3.6-5.4metres, depending on the model.

Controlled Spread

Hotshots are equipped to spread in confined areas, thanks to an easy-to-remove deflector shield that prevents the material from flying too far. Both the Hotshot models feature ice-gripping tread pattern tyres for enhanced traction in the snow



Hotshot 70HD Pedestrian Broadcast Spreader



Pedestrian broadcast spreaders
Hotshot 70HD and 100HD



HOTSHOT



Winter tyres



Internal screen



Weather cap

CODE	DESCRIPTION	PRICE
-------------	--------------------	--------------

M38180	Hotshot 70HD Pedestrian Broadcast Spreader 37 litre/32kg capacity • 3.6 metre max spread width • Polypropylene hopper • Stainless steel handles and frame • Spread deflector providing reduced spread width for paths • Dial up flow rate control • Internal screen and shower cover • Greaseable axle bearings • Enclosed gear case • Pneumatic tyres	595.00
---------------	--	---------------



M38190	Hotshot 100HD Pedestrian Broadcast Spreader As above • with 51 litre/47kg capacity • 5.4 metre max spread width	825.00
---------------	---	---------------



Accessories	M90000628 3-Way Individual Deflectors In lieu of standard fixed deflector guard.	40.00
--------------------	--	--------------



Small and medium tailgate spreaders BL240/BL240Pro and BL400/BL400Pro



BL240 on receiver hitch mounting



Quick-Attach50 2" receiver hitch mounted BL240



BL400 'H' frame mounting kit for vehicle beds



Optional flow gate control fitted to BL

The Meyer **BL240** and **BL400** are easy to use and ideal for many small to medium sized jobs from walkways to small car parks and driveways. They are suitable for mounting to SUV's, light trucks, utility vehicles, plant vehicles and tractors.

- 12v electric powered spreaders, ideal for spreading dry, free flowing material.
- The large corrosion resistant polymer hopper gives you the productivity to handle several jobs with one load.
- Controllable from inside the cab for driver convenience.
- Spread width may be varied using the controller and a manual flow gate ensures precise flow rate (optional).
- Locking lid keeps material dry
- Built in stand/motor guard for protection when on the vehicle and for easy out of season storage.

BL range feature the **Quick-Attach50** 2" receiver hitch system. This allows the attachment and removal of the spreaders in seconds without the use of tools.

The **BL240Pro** and **BL400Pro** feature a damp mix auger and vibrator as standard fitment.

Small and medium tailgate spreaders

BL240/BL240Pro and BL400/BL400Pro



	CODE	DESCRIPTION	PRICE
	M31100	BL240 Mounted Spreader 100litres/108kg (240lbs) capacity • Spreading width of 1-7.5 metres • Lightweight polythene hopper for corrosion resistance and durability • 12v heavy duty electric motor 1/8hp • Variable speed in cab controller • Integrated storage stand and motor guard • 2" hitch system (see mounts below)	1295.00
	M31100PRO	BL240Pro Mounted Spreader As BL240 • with vibrator kit • Damp material agitator	1595.00
	M36100	BL400 Mounted Spreader 175litres/181kg (400lbs) capacity with spreading width of 1-7.5 metres • Lightweight polythene hopper for corrosion resistance and durability • 12v heavy duty electric motor 1/8hp • Variable speed in cab controller • Integrated storage stand and motor guard • 2" hitch system (see mounts below)	1595.00
	M36100PRO	BL 400Pro Mounted Spreader As BL400 • with vibrator kit • Damp material agitator	1895.00
Accessories			
	M38050	Vibrator Kit Aids free flow of damp material	350.00
	M34109	Auger Chain Kit - Damp Material Agitator Helps break up material • Includes mounting hardware • Recommended for use with M34606 • Standard part in PRO versions	150.00
	M34900	Spreader Flow Gate Control Allows the user more control to set the material flow rate based on the material being used.	95.00
Mounting Kits			
	M36500	Mounting Kit –Tractor 3 Point Linkage—Cat1 3-Point Hitch attachment adapts the Meyer BL range to any standard 3-point hitch configuration.	350.00
	M91003	Mounting Kit - 2" receiver hitch universal tow bar bracket mount. For mounting on existing road vehicle drawbar assemblies.	150.00
	M35002	Mounting Kit –'H' frame flat bed/utility vehicle bed (see pictures on p6).	360.00
	M530926	Highway Trailer Kit. Fast tow trailer including lighting kit and reflectors. Quick-Attach 50 2" receiver hitch mounting for BL and Blaster spreaders. Suitable for Highway use. Gross weight 750kg	1395.00
	M91006	Load Tray for Highway Trailer M91006 Allows bags of salt to be carried on the trailer	595.00

Professional tailgate spreaders

Blaster 350s and 750s



The Meyer **Blaster** Spreaders have the most powerful tailgate spreader motor available.

- One touch operation provides you total control over Blaster spreaders.
- Unique ½hp, direct drive motor is rated at up to 70amps to grind through those annoying chunks of salt and sand. The direct drive system applies the torque directly to the rotor.
- Damp material agitator creates a void in the hopper to prevent bridging and feeds the loose material to the pinned rotor which further grinds the material before dropping on to the spinner disc. The standard vibrator further helps to ensure free flowing material in the worst conditions.
- Flow gate control allows the operator to gauge exactly how much material is delivered on to the spinner disc.
- Illuminated in-cab controller includes “blast” and vibrate mode. You can also regulate the spinner speed with the variable speed controller. Selecting “Auto Spinner Stop Mode” will automatically stop the spinner from rotating when the vehicle’s brakes are applied.
- Auto Vibrate Mode automatically vibrates the spreader for ten seconds every sixty seconds to keep the load ready to spread. The system is protected by self diagnosis and blade fuses to prevent damage caused by clogging. All backed by the industry’s best warranty.

The unique chain agitator helps break up material and provide excellent flow when spreading damp material.



Self diagnosing controller with std automotive fuses


Blaster 350 with 3-point linkage mounting kit and motor guard/storage stand



Professional tailgate spreaders

Blaster 350s and 750s



CODE	DESCRIPTION	PRICE
M37000B	Blaster 350s Mounted Spreader 160 litre/158kg (350lbs) capacity with spreading width of 1-6 metres • Lightweight polythene hopper for corrosion resistance and durability. With robust steel mounting frame • 12v heavy duty electric motor ½hp • A vibrator motor and chain auger are fitted to aid the free flowing of more difficult materials as standard • Variable speed in cab controller with blast function, auto vibrate and auto • Spinner stop mode to reduce wasted material at junctions • Quick-Attach50 2" receiver hitch mounting system (Requires vehicle hitch - see below)	3195.00
		
M39010B	Blaster 750s Mounted Spreader As above but 304 litre/340kg (750lbs) capacity with spreading width of 1-6 metres.	3495.00
		
Accessories		
M34900	Spreader flow gate control Allows the user more control to set the material flow rate based on the material being used.	95.00
		
M34700	Removable Hopper Screen The removable, welded-steel mesh hopper screen prevents large chunks of material into the hopper and improves material flow.	215.00
		
M36407	Motor Guard and Integral Storage Stand for Blaster (see p8)	195.00
		
Mounting Kits		
M36500	Mounting Kit –Tractor 3 Point Linkage—Cat1 3-Point Hitch attachment adapts the Meyer BL range to any standard 3-point hitch configuration.	350.00
		
M91003	Mounting Kit - 2" receiver hitch universal tow bar bracket mount. For mounting on existing road vehicle drawbar assemblies using bolt holes.	150.00
		
M35002	Mounting Kit – 'H' frame flat bed/utility vehicle bed (see pictures on p6).	360.00
		
M530926	Highway Trailer Kit Fast tow trailer including lighting kit and reflectors. Quick-Attach 50 2" receiver hitch mounting for Blaster spreaders Suitable for Highway use. Gross weight 750kg	1395.00
		
M91006	Load Tray for Highway Trailer M91006 Allows bags of salt to be carried on the trailer	595.00
		

Insert hopper spreaders CrossFire - for vehicles 3500kg and over



The all-new insert hopper with integrated pre-wetting and a 5-year warranty

Meyer broke the mould with its new insert spreader, the CrossFire™. Not only did we design it with an integrated pre-wetting system, it's also backed with three to five years of warranty protection...that's the best in the industry.

Why pre-wet?

Pre-wetting the material speeds up the melting process and reduces how far the granules bounce once they hit the pavement. Pre-wetting can save up to 30% in material usage.

Designed to protect your truck

Everything about the CrossFire™ has been designed to protect your investment. The full-width hopper reduces material spillage into the vehicle bed to help prevent corrosion. The hopper and spinner assembly is constructed from polyethylene to eliminate rust. All mechanical drives are concealed from the elements to keep salt and moisture out and increase service life.

DLX controller

All CrossFire™ controllers include independent motor control for the auger and spinner, blast and spinner speed adjustment. Additional features of the DLX controller include pre-wet, pause, work light, vibrator and ground speed control.

6' CrossFire in a standard Ford Ranger pick-up



Insert hopper spreaders

CrossFire - for vehicles 3500kg and over



BEST WARRANTY

**3 YEARS STANDARD
5 YEARS STANDARD
STEEL & HOPPER**



The Meyer **CrossFire** heavy duty insert spreader is built for four season use. Designed to apply a variety of materials including sand, rock salt, ice melt on snow and ice as well as limestone and fertilizer. The auger is driven by a heavy-duty ½ hp motor and gear box that can be quickly removed for cleaning and maintenance. The independently controlled spinner manages material output to help reduce consumption and lets you precisely spread the material where you need it. Integrated pre-wetting system in deluxe model. No hard-to-install tanks to add and the system is fully plumbed with high-quality hoses and spray system and fully controllable

CODE	DESCRIPTION	PRICE
-------------	--------------------	--------------

M64740	CrossFire CFS-6 STD Insert Hopper Spreader	7795.00
---------------	---	----------------

1200 litre – 1837kg capacity • Spreading width of 2-9 metres • Hopper length 180cm • Overall length 240cm • Height 94cm • Unladen weight 240kg • Standard vibrator • Polythene hopper for durability and less weight • Two 12v heavy duty electric motors • Material movement is by full length auger • Cab mounted dual speed controller • Fork pockets for lifting the spreader • Standard top mesh screen • Halogen work light



M66263	CrossFire CFS-6 DLX Insert Hopper Spreader	8595.00
---------------	---	----------------

As above • with standard pre-wet, independent auger and spinner control, blast, pause, vibrator.

Accessories

M64744	Tarp kit	295.00
---------------	-----------------	---------------

M64742	CrossFire CFS-8 STD Insert Hopper Spreader	7895.00
---------------	---	----------------

1500 litre – 2449kg capacity • Spreading width of 2-9 metres • Hopper length 295cm • Overall length 240cm • Height 94cm • Unladen weight 240kg • Standard vibrator • Polythene hopper for durability and less weight • Two 12v heavy duty electric motors • Material movement is by full length auger • Cab mounted dual speed controller • Fork pockets for lifting the spreader • Standard top mesh screen • Halogen work light



M66265	CrossFire CFS-8 DLX Insert Hopper Spreader	8995.00
---------------	---	----------------

As above • with standard Pre-wet, independent auger and spinner control, blast, pause, light, vibrator.

M91016	Trailer Chassis for Meyer - CrossFire & PolyHawk	3400.00
---------------	---	----------------



Insert hopper spreaders

PolyHawk - for vehicles 3500kg and over

Meyer®



The **PolyHawk** is designed to be your snow and ice removal spreader not only for this season, but for many to come. Featuring an unprecedented ten-year warranty on the virtually indestructible polyethylene insert hopper, Meyer dares you to compare the features of the PolyHawk to any other poly hopper spreader on the market.

The Meyer **PolyHawk** is an in body or trailer mounted spreader. It features a high tensile chain conveyor system which delivers a wide variety of materials to the rear spinner disc. A total of 6 adjustable baffles ensure you can deliver the exact amount of material precisely where you want it. The complete system is almost silent being powered from two independently controlled 12v electric motors. Standard features include a top screen (see picture below) to break up large clumps of material, belt shields, and the Meyer inverted V to prevent bridging. A swing up spinner (see picture right) provides easy storage, aids emptying and allows filling of salt bins.



Key built-to-last features

- Rotationally moulded polyethylene hopper provides years of service and is backed by an industry leading 10 year warranty.
- Slot and tab design allows a more precise fit up to our products thereby delivering consistent reliability over the course of ownership.
- The highest tensile strength drag chain in the industry for consistently pulling all types of materials through the spreader
- Grease nipples at all critical points for keeping your investment up and running
- Marine-grade actuator protects the spreader's inner workings from the elements and keeps you spreading, even in the harshest conditions.
- Stainless steel external baffle adjustment rods prevent the baffles from seizing and remaining stuck in one location.
- Largest-in-the-industry 33cm spinner disc with 2.5cm shaft, spreads material from 1.5m to 12m.



Insert hopper spreaders
PolyHawk - for vehicles 3500kg and over



CODE	DESCRIPTION	PRICE
M64505CE	PolyHawk 8ft PV Electric Body Mount Spreader. 1529litre-2140kg capacity with spreading width of 1-9 metres • Hopper length 240cm • Overall length 292cm • Unladen weight 338kg • Polythene hopper for durability and less weight • Two 12v heavy duty electric motors • Material movement is by steel chain • Cab mounted variable speed controller • 13" poly spinner disc • Fork pockets for lifting the spreader and out of body • Swing up spinner for easy storage and emptying • Suitable for 3.5 - 5.5 tonne GVW pickup type vehicles or 3.5 tonne GW trailers.	8495.00
M63684	Hopper cover kit The Tarp Kit includes all parts required to mount to a PolyHawk spreader	295.00
M91016	Trailer Chassis for Meyer - CrossFire & PolyHawk	3400.00

Accessories



PathPro snow plough

Suitable for ATVs



CODE	DESCRIPTION	PRICE
M29100	<p>Meyer PathPro 1.5m Snow Plough for ATV/Quad/ZTR Compact rugged light weight snow plough • Blade depth 43-47cm • Scoop and funnel design • 65° attack angle • 1.5m working width (straight) • 1.3 m working width (angled) • Double heavy duty spring trip blade protection system • Patented self angling system - left and right with 5 lock positions • 150cm heavy duty steel replaceable cutting edge • Universal EZ Mount ATV Bracket • Attaches to lower main chassis rails with versatile multi use bracket.</p> <p><i>Lifts and lowers from on-board electric winch (not included).</i></p>	1195.00
Accessories		
HPB2000-12v	<p>Horntools Beta 2000 12v winch 900kg pull • 15m x 4mm steel cable • Wired remote control • Snatch block, steel hook and flat mounting plate</p>	87.50
M08302	<p>Urethane Cutting Edge 1.5m Helps to protect plough and road surface</p>	220.00
M13369	<p>Deflector Kit 1.5m For reduced blow-back and enhanced snow rolling</p>	105.00

PathPro snow plough

Suitable for heavy UTV and light compact tractors using 2" receiver hitch mount



CODE	DESCRIPTION	PRICE
M29100-RH	Meyer PathPro 1.5m Snow Plough for UTV c/w Hand Winch Lift Compact rugged light weight snow plough • Blade depth 43-47cm • Scoop and funnel design • 65° attack angle • 1.5m working width (straight) • 1.3m working width (angled) • Double heavy duty spring trip blade protection system • Patented self angling system - left and right with 5 lock positions • 150cm heavy duty steel replaceable cutting edge • Includes 2" receiver hitch • Includes hand winch kit for lifting and lowering plough. <i>(Ensure vehicle has compatible receiver hitch).</i>	1695.00
M29100-RH-EW	Meyer PathPro 1.5m Snow Plough for UTV c/w Electric Winch Lift As above but with wired remote control electric winch for lifting and lowering the plough.	1895.00
M29100-RH-CH	Meyer PathPro 1.5m Snow Plough for UTV c/w Hydraulic Lift As above but with hydraulic cylinder with 3.5m of pipe and 3/8" quick release coupling for lifting and lowering the plough. Note! This requires a suitable hydraulic service on the UTV to operate.	1895.00
M29200-RH	Meyer PathPro 1.8m Snow Plough for UTV c/w Hand Winch Lift Compact rugged light weight snow plough • Blade depth 43-47cm • Scoop and funnel design • 65° attack angle • 1.8m working width (straight) • 1.6m working width (angled) • Double heavy duty spring trip blade protection system • Patented self angling system - left and right with 5 lock positions • 180cm heavy duty steel replaceable cutting edge • Includes 2" receiver hitch • Includes hand winch kit for lifting and lowering plough.	1895.00
M29200-RH-EW	Meyer PathPro 1.8m Snow Plough for UTV c/w Electric Winch Lift As above but with wired remote control electric winch for lifting and lowering the plough.	2095.00
M29200-RH-CH	Meyer PathPro 1.8m Snow Plough for UTV c/w Hydraulic Lift As above but with hydraulic cylinder with 3.5m of pipe and 3/8" quick release coupling for lifting and lowering the plough. Note! This requires a suitable hydraulic service on the UTV to operate.	2095.00
Accessories		
M08302	Urethane Cutting Edge 1.5m Helps to protect plough and road surface	220.00
M08309	Urethane Cutting Edge 1.8m Helps to protect plough and road surface	230.00
M13369	Deflector Kit 1.5m For reduced blow-back and enhanced snow rolling	105.00
M13418	Deflector Kit 1.8m For reduced blow-back and enhanced snow rolling	115.00
M09369	Snow Shoe Kit Meyer bolt-on shoe kit allows easier use on undulating and uneven surfaces	95.00
M09916	Mouldboard Markers Heavy duty plough markers allow operator to see edge of plough from operating position	40.00

PathPro2 snow plough

Suitable for light 4x4s off-road only



Remote control electric lift

- Reliable lift system
- Can be controlled from inside or outside your vehicle
- Very simple installation (no complicated wiring)

Patented auto angling system

- No getting in and out of the cab to change angle
- Easy windrowing

Easy shipping, storage and installation

- Two piece plough construction
- Built up and installed in much less time than a conventional plough
- Shipped in 1 box (120cm x 44cm x 51cm)

Fits on light duty 4x4s

- Brackets available for many domestic 4x4 vehicles - see page 20
- Lightweight (80 - 90kg)
- On and off the vehicle in 1 minute, once the dedicated receiver hitch is fitted

Spring trip and float mechanism

- Follows the contours of the surface
- Avoids damaging the vehicle and street furniture



The plough comes complete in one single container.



PathPro2 snow plough
Suitable for light 4x4s off-road only



2 metre plough fitted to Ford Ranger



Attaches to your vehicle's receiver hitch in less than a minute. Brackets can be found on page 20.

CODE	DESCRIPTION	PRICE
M23275	PathPro2—Auto Angling, Electric Lift 2m Receiver hitch snow plough • Compact rugged light weight snow plough • Blade depth 46cm with replaceable steel cutting edge • 2m working width (straight) • 1.8 m working width (angled) • 80kg • Heavy duty spring trip blade protection system • Auto angling system—left and right. • Quick attach in 30 seconds (once bracket is installed) MAX SNOW DEPTH 20cm	2295.00
Accessories		
M09449C	Urethane Cutting Edge 2.0m Helps to protect plough and road surface	250.00
M09369	Snow Shoe Kit Meyer bolt-on shoe kit allows easier use on undulating and uneven surfaces	95.00
	Vehicle Mounting Bracket with Quick-Attach50 2" receiver hitch system See full list of 2" receiver hitch brackets on page 20	340.00
FITTING	Fitting the plough to the vehicle	POA

NOTE: the PathPro2 is not for use on public roads.

DrivePro plough
Suitable for popular 4x4s and vehicles
up to 3500kg



ROC

WARRANTY

3/5


An operating system designed to pick up your game.

With up to 6 full inches of ground clearance, you'll carry your plow high and be less prone to bottoming out.

The new **STANDARD OPERATING SYSTEM™**



With improved electrical system, your aren't missing a beat or a snowflake. All of which is going to mean higher efficiency and happier clients.



Lightweight commercial grade steel plough built with Meyer's Reliable Over-time Construction (ROC) process. It shows in the details:

- Heavy duty trip springs provide highest degree of protection
- Robotically welded seams and cross sections
- Slot and tab construction
- Incredibly strong but light weight construction that is suitable for the vehicles popular with site maintenance teams today
- Attaches and removes from the vehicle in seconds
- Garage wheels to easily move when off the vehicle and fitting.

DrivePro plough

Suitable for popular 4x4s and vehicles up to 3500kg



The DrivePro complies with front axle loading for most one tonne vehicles.




DrivePro with Headlight kit fitted.

CODE	DESCRIPTION	PRICE
M26800	<p>DrivePro LD POWER ANGLING Plough 2.0 Metre 127Kg Compact rugged light weight snow plough • Blade depth 52cm with replaceable steel cutting edge • 2m working width (straight) • 1.8 m working width (angled) • Heavy duty spring trip blade protection system</p> <p>Powered Electro-Hydraulic angling system - left and right Quick attach in 30 seconds with QuickAttach50 system (see p24). Attach in 30 seconds using one pin and one electrical plug. Integrated storage/mounting wheels Fully remote electro/hydraulic raise and lower operation from cab MAX SNOW DEPTH 20cm. Wiring without intrusion on the vehicle electrics.</p> <p><i>Please seek independent advice before using on the highway</i></p>	4295.00
M28220	<p>DrivePro POWER ANGLING Plough 2.0 Metre 165Kg With STANDARD OPERATING SYSTEM As above • but with standard operating system (see page 24) • Twin cylinder angling • Heavy duty hydraulics • 5cm more ground clearance • enhanced electrical system with no intrusion into vehicle electrical systems • Stronger reinforced blade</p>	4595.00
	<p>Vehicle Mounting Bracket with Quick-Attach50 2" receiver hitch system See full list of 2" receiver hitch brackets on page 20</p>	340.00
Accessories		
M22691	Wiring Harness Kit For additional vehicles - power angling	395.00
M08277	Urethane Cutting Edge 2m Helps to protect plough and road surface.	250.00
M07680	Headlamp Kit 12v Requires fully functional 13 pin trailer plug Includes mounting kit • Includes vehicle adaptor - specify application	695.00
M13071	Moulded Deflector For reduced blow-back and enhanced snow rolling	230.00
M08271	Shoe Kit Complete for DrivePro (Pair)	195.00
FITTING	Fitting the plough to the vehicle	POA



Quick-Attach50 2" receiver hitch Vehicle Front Mounting System for PathPro2 and DrivePro



The unique Quick-Attach50 mounting system features a robust bracket that attaches to the chassis at the front of the vehicle (see left) using existing mounting points. The bracket is usually located elegantly under and rear of the front bumper with the female socket sealed with a durable/removable plastic cover. This mounting may also be used in conjunction with the front 50mm ball hitch assembly for manoeuvring trailers in restricted areas and mounting a front Quick-Attach winch.



CODE	DESCRIPTION	PRICE
Vehicle Mounting Bracket with <i>Quick-Attach50 2"</i> receiver hitch system		
M18533	Dacia Duster 2012 on (<i>PathPro2 Only</i>)	340.00
M18528	Citroen Relay, Fiat Ducato Peugeot Jumper	340.00
M18537	Fiat Fullback 2016 on	340.00
M18501	Ford Ranger/Mazda B2500 to 2011	340.00
M18590	Ford Ranger XL 2012 on	340.00
M18505	Ford Transit Van/Chassis Cab to 2014	340.00
M18535	Ford Transit Van/Chassis Cab 2014 on	340.00
M18591	Ford Transit Custom 2014 on	340.00
M18504	Isuzu D-Max/Canyon/Chevy Colorado to 2012	340.00
M18513	Isuzu D-Max/Canyon/Chevy Colorado 2012 on	340.00
M18519	Jeep Wrangler 2 and 4 door 2007 on	340.00
M18502	Land Rover Defender 90/100 1983 on	340.00
M18526	Land Rover Discovery II 1998 - 2005	340.00
M18524	Land Rover Discovery 3 and 4 2005 on	340.00
M18520	Mercedes Sprinter-VW Crafter 2006 to 2013	340.00
M18522	Mercedes Sprinter 4x4 2006 to 2013	340.00
M18508	Mitsubishi L200 2006 to 2015	340.00
M18516	Mitsubishi L200 to 2006	340.00
M18534	Mitsubishi L200 Mid 2015 on	340.00
M18509	Nissan Navara D22 pre 2005	340.00
M18507	Nissan Navara 2005 on	340.00
M18525	Suzuki Jimny 1998 (call for model type - <i>PathPro2 Only</i>)	340.00
M18512	Toyota HiLux 1998-2005,	340.00
M18503	Toyota HiLux Mk 6 2005 to 2016	340.00
M18538	Toyota HiLux 2017 on	340.00
M18521	Toyota LandCruiser 1995 to 2002	340.00
M18518	Toyota LandCruiser 2003 to 2009	340.00
M18517	Volkswagen Amarok 2011 on	340.00

For all other applications please get in touch.

Quick-Attach50 - 2" receiver hitch Vehicle Front Mounting System



The plough mounting system features a robust bracket that attaches to the chassis at the front of the vehicle using existing mounting points.

The bracket is usually located elegantly under and rear of the front bumper (see left) with the female socket sealed with a durable/removable plastic cover when the plough is not in use.

This front mounting may also be used in conjunction with the front 50mm ball hitch assembly for accurately manoeuvring trailers in restricted areas and mounting a front Quick-Attach winch.

It can also be used for front mounting a Meyer spreader and many other applications.



Each 2" receiver hitch is made specifically for the vehicle to which it is being fitted. If the plough needs to be used on more than one vehicle, each one will need a receiver hitch and wiring harness. Both can be purchased separately.

Hands-Free Ploughing

With Meyer's exclusive **Hands-Free Ploughing (HFP)** on the **Power-Angling DrivePro**, operating a snowplough is safer and more convenient.

Hands-Free ploughing automatically raises and lowers the mouldboard when you shift your vehicle into drive or reverse so you can keep your eyes on the road and your hands on the wheel. And only Meyer has it. What else would you expect from a company with over 85 years of experience in the snow and ice control business?






Meyer DrivePro - ideal for a variety of vehicles



Winches for popular 4x4s and vehicles up to 3500Kg



Vehicle winches which integrate with your front mounting Quick-Attach in seconds...

IST8000MOBIL3	Winch Cradle 2" for 5000 and 9500 model winches,	79.16
HPB5000-12v	Horntools Beta 5000 12v winch 2300kg pull • 24m x 6.4mm steel cable • Wired remote control • Snatch block, steel hook and flat mounting plate • Suitable for vehicle less than 3500kg GVW	280.00
HPB5000-12WDY_X	Horntools Beta 5000 Synthetic As above • with 25m of 6mm synthetic rope	325.00
HSW9500-12	Horntools Alpha 9500 12v winch 4300kg pull • 28m of 9.2mm steel rope • Aluminium rope window, cabled remote and steel hook	475.00
HSW9500-12VDY_X	Horntools Alpha 9500 Synthetic As above • with 30m of 10mm synthetic rope	575.00



Kersten UK – suppliers of high performance snow and ice management equipment from Meyer. Kersten – the only authorized UK dealer

MEYER HOME MEYER SPREADERS MEYER SNOW PLOUGHS RESOURCES ENQUIRIES and more



Experience the **Difference**

Performance

Better Results In Less Time.
Push more snow faster and leave the job site clearer with taller, more aggressive Auto-angling or Power-angling snowploughs.



Follow Meyer on Facebook

Reliability

The Best Built, Best Backed Ploughs and Spreaders made.

Backed with the best warranty in the business, our totally re-designed Auto-angling or Power-angling snowploughs are made to minimize downtime.



THE INDUSTRY'S BEST WARRANTY PROTECTION
3 YEARS on all components
5 YEARS on all structural steel

The HSE 1992 Act (now including the HSE Preventing Slips and Trips at Work 2005 Act) states that in abnormal weather conditions, arrangements should be made to minimise risks from snow and ice on floorway and traffic routes. Meeting the requirements of this regulation can involve salt-gritting and snow clearing. Section 41 of the 1980 Highways Act states that highway authorities have a duty to ensure that the public highways under their jurisdiction are kept free of snow and ice.

Ease-of-use

A Tough Job Just Got Easier.

Attach and detach the snow plough in seconds and leave the truck with an off-the-assembly-line appearance when not in use, three controller styles available.



Follow Meyer on YouTube

Your contacts for Meyer in the UK:

Telephone : 0118 986 9253

**Kersten (UK) Ltd, Progress House,
39 Boulton Road, Reading RG2 0NH**

Kersten UK Limited are the sole UK distributor of the Meyer range of snow management equipment.

www.kerstenuk.com

info@kerstenuk.com

Prices are subject to VAT E&OE